



# INDEX MAPS.

**T. 3N R. 1W 2<sup>nd</sup> Mer.**



**T. 4N R. 1W 2<sup>nd</sup> Mer.**



The figures on the lines refer to the page.

Township No 3 N.R. No 17. 2<sup>nd</sup> Mer.  
ch. lth.

2<sup>nd</sup> Meridian Indiana

North Continued the 2<sup>nd</sup> Mer. East side of sec 36  
T.N. 3 N.R. No 17

4500 Set temporary post for cor to 1/4 sec

8000 Set temporary post for cor to sec. 25 & 36 T.N. 3  
N.R. 17. 2<sup>nd</sup> Mer. Lands rich and level  
Timber Oak Hickory Buck to underground spring

North Continued the 2<sup>nd</sup> Mer. East side of sec 25  
T.N. 3 N.R. No 17. 2<sup>nd</sup> Mer

10.54 Fell 4 ch. East of the corner on the Mer. and  
Stream and line

South On the 2<sup>nd</sup> Mer between Towns 3 & 3 N.R. 17 & 19  
E 2<sup>nd</sup> Mer

10.54 Set temporary mile post on true line for cor to sec.  
25 & 36 T.N. 17 from which a Hickory  
12 in dia bears N 67 E. 36 links dist; tall Oak  
10 " " " S 78 W. 20 " "

South Continued the 2<sup>nd</sup> Mer on the East side of  
Sec. 36. T.N. 3 N.R. No 17.

4000 Moved the temporary post to true line for cor to 1/4  
sec from which an Elm 7 in dia bears N 26 E  
19 links dist; under an Elm 8 " " " S 86 W  
28 " "

8000 Moved the temporary post and set it on the true line  
for the corner of Towns 2 & 3 N.R. No 16 and  
219 N.R. No 17. 2<sup>nd</sup> Mer from which a W.  
Oak 10 in dia bears S 88 E 17 links dist; tall  
Dogwood 7 " " " N 66 W. 26 " "

Subdivisions

East Between Sec. 25 & 36 T.N. 3 N.R. No 17  
from the Old Indian boundary

79 Set a post for cor of sec. 25 & 36 on the Mer.

T N<sup>o</sup> 3 N R N<sup>o</sup> 1 W 2<sup>nd</sup> Mer. Ind<sup>o</sup>

8.57 links South of the mile post from which  
a Buck 10 in dia bears S 64 W. 4 links dist; to  
a Logwoods 6 n n n N 40 E 26 n n  
Nov. 23<sup>d</sup> 1806.

East Between Towns 2 & 3 N. R. N<sup>o</sup> 1 W. from  
the 1/4 sec of Sec N<sup>o</sup> 36 T 3 N R. N<sup>o</sup> 1 W  
40.10 Set a post for cor. of Towns 2 & 3 N R. N<sup>o</sup> 1 W  
on the N. & S. line 46 ch. North of the Cor  
of Towns 2 & 3 N R. N<sup>o</sup> 1 W from which a  
Bum 10 in dia bears N 70 W. 11 links dist; to  
B. Oak 30 n n n N 84 E. 26 n n  
This 1/2 mile over good farming land;  
Timber Oak, Hickory Sugar & Walnut.

Surveyed by Arthur Hennen  
Depy. Surv.

North Between Sec. 31 & 32 T N<sup>o</sup> 3 N R. 1 W.  
28.00 To a Poplar 12 in dia. Stands in the line  
110.00 Set a post for cor to 1/4 Sec from which a Sugar  
12 in dia bears S 84 W. 28 links dist; to Bum  
12 n n n S 44 E. 33 n n  
49.00 To a Honey Locust 18 in dia Stands in the line  
80.00 Set a post for cor to Sec. 29, 30, 31 & 32 from  
which a Logwoods 7 in dia bears S 63 W. 15 links  
dist; under Hickory 7 n n n N 45 E. 32 n  
n Not over Hill land; Timber Sugar  
W. Walnut & Cherry; some Oak, Hawtherry  
&c

North Between Sec. 29 & 30 T N<sup>o</sup> 3 N R. N<sup>o</sup> 1 W  
28.50 To a Oak 24 in dia Stands in the line  
40.00 Set a post for cor to 1/4 Sec from which a Bum  
8 in dia bears N 58 W 13 links dist; to Hickory  
7 n n n S 58 W 8 n n

T<sup>o</sup> No 3 RR No 1 W 2<sup>nd</sup> Mer. Ind<sup>e</sup>

8000 Set a post for cor. to Oct. 1920, 29.130 T<sup>h</sup> N<sup>o</sup>  
3 N. R. N<sup>o</sup> 1 W. from which a R. Oak 10 in dia  
beams N 31 W. 36 Mo dish<sup>d</sup> a Sugar 12 in  
" N 34 E 50 in " Grande Rail & Timber  
Same as last mile

North Western Loc. 34033 T No 3 NR

38. lev a "Hickory 14 in. diam. Stands in the line

40.00 Set a post for cor to 74 Dec from which a Poplar  
7 in dia bears N 75 E 17' linked with; & a N Oak  
7 in dia N 45 W 13 in

80.00 Set a post for curbs Oct 26-27. 34135 fms  
which all Oak 14 in dia bears S 37 W. 7 miles  
west of a Hockley - " " N 57 E. 33 "  
" " Lando Sandgate Hills Timber Creek

North Peterum Sep. 26. & 27 J. No 3 N.R. No 192

29.00 To a Poplar 24 in dia stands in the vine

4500 Get a post for cor to the low form which will take  
12 in dia stands for cor to the low

8000 Get a post for cross to Ave. 22, 23, 26 & 27 T<sup>N</sup> 3  
N<sup>R</sup> 17. From which a B. Oak 14 in dia  
stands N 47 E. 20 hnts Nish; on Elm 7 in  
on N 55 W. 11 in on Sand and timber  
same as last mile:

North Boston Dec. 22, 1823. T N<sup>o</sup> 3 MR N<sup>o</sup> 17

21.00 To a Heick 24 in via hands with me

4000 Subapost for cor to  $\frac{1}{4}$  sec from which a No. 10  
11 in dia bears 1147 28 links dist to a Blcherry  
18 " " " M4E 8 " "

52.72 To a Hooky 20 m. N. S. on the line

8000 Det apart. for cor to det 14, 15, 22, 23. TN<sup>o</sup> 3  
NR N<sup>o</sup> 17. From which a Sugar 7 in dia has  
N 24 N 10 in dia dish; & a Lloyd mode 7 in -  
S 75 E 20 in -



T<sup>N</sup> 3 NR N<sup>o</sup> 17 2<sup>nd</sup> Mer Ind.

Same soil and timber same as last mile

North Between Sec. 35. & 36 T<sup>N</sup> 3 NR N<sup>o</sup> 17  
 4000 Set a post for cor. to  $\frac{1}{4}$  Sec from which a B  
 Cherry 8 in dia bears N 12 E 22 the dist to  
 Hick 8 " " " S 11 E. 11 " "  
 8000 Set a post for cor. to Sec. 25, 26, 35, & 36 T<sup>N</sup> 3  
 NR N<sup>o</sup> 3 W from which a B Oak 20 in dia  
 bears S 39 E 10 links dist; to do 11 " "  
 " N 70 W 28 " " Same 2<sup>nd</sup> rate Mer  
 Timber chiefly Oak.

North Between Sec. 25 & 26 T<sup>N</sup> 3 NR N<sup>o</sup> 17  
 4000 Set a post for cor. to  $\frac{1}{4}$  Sec from which a B  
 Oak 11 in dia bears West 19 links; to a Poplar  
 7 " " " East 10 "  
 51.50 To a B Oak 24 in dia stands in the line  
 8000 Set a post for cor. to Sec. 23, 24, 25 & 26 T<sup>N</sup> 3  
 NR N<sup>o</sup> 17 from which a B Oak 10 in dia  
 bears N. 9 links dist; under Poplar 7 " "  
 " S 44 W 24 " "  
 Same timber & soil same as last mile

North Between Sec. 23 & 24 T<sup>N</sup> 3 NR N<sup>o</sup> 17  
 37.50 To a B Oak 24 in dia stands in the line  
 4000 Set a post for cor. to  $\frac{1}{4}$  Sec from which a  
 Elm 8 in dia bears N 12 E 25 the dist; to  
 Dogwood 7 " " " S 78 W 11 " "  
 70.00 To a Gum 8 in dia which stands for cor. to Sec.  
 23 & 24 in Fremans line. Same 2<sup>nd</sup> rate  
 Timber Oak & some Sugar &c

North Between Sec. 14 & 15 T<sup>N</sup> 3 NR N<sup>o</sup> 17  
 1800 Set a post on Fremans line from which a  
 Mulberry 8 in dia bears S 70 W 29 links dist.  
 to an Elm 8 " " " N 51 W 27 " "

T N<sup>o</sup> 3 NR N<sup>o</sup> 1 W. 2<sup>nd</sup> M

1<sup>st</sup> Rate Hill lands; Timber B. Walnut Sugar  
Oak Hackberry & Oak Dec. 30

North Between Dec. 33 & 34 T N<sup>o</sup> 3 NR N<sup>o</sup> 1 W

40.00 To a W Oak 16 in dia which stands for cor  
to 1/4 sec

80.00 Set apart for cor to Dec. 27, 28, 33, & 34 T N<sup>o</sup> 3  
NR N<sup>o</sup> 1 W from which a Log-mock 7 in dia  
beats N 49 E - 12 links dist; to a W Oak 20 in -  
" " 40 W 13 " " Lands 2<sup>nd</sup> rate  
Timber chiefly Oak.

North Between Dec. 30 & 31 T N<sup>o</sup> 3 NR N<sup>o</sup> 1 W

40.00 Set apart for cor to 1/4 sec from which a W Oak  
7 in dia beats S 57 W 8 links dist; to a W Oak  
7 in " " N 36 E 21 in -

80.00 Intersected Range & line for cor to Dec. 30 31 25  
and 36 T 3 NR S N<sup>o</sup> 1 & 2 W 1<sup>st</sup> rate  
hill lands; Timber B. Walnut Sugar Oak &c

North Between Dec. 25 & 30 T S 3 NR S 1 E & 1 W  
from the post on Strumans line;

18.00 To a Poplar 48 in dia stands in the line

38.00 Set apart for cor to 1/4 sec on the Elm 10 in  
dia which stands for the cor.

78.00 Set apart for cor to Dec. 19 & 24 25 & 30 T S  
3 NR S 1 E & 1 W from which a Log-mock 7 in  
dia beats N 21 W 19 links dist; to a W Oak 20 in -  
" " S 4 W 44 in - Lands 1<sup>st</sup>  
rate Flat Ridge Timber Poplar B. Walnut, Sugar  
and Oak &c

North Between Dec. 19 & 24 between N<sup>o</sup> 1 E & 1 W  
S 3 N 1 from the above post

37.75 To a Log-mock 7 in dia for cor to Dec. 19 & 24  
standing on Strumans line Lands & Timber

T. N. 3 N. R. N. 1 W 2nd Mer. Ind.<sup>a</sup>

Same as the last mile

Range 1 E.

East From the post for cor to sec. 24 + 25 between  
Sec. 19 + 30 T. N. 3 N. R. N. 1 E

24.50 Set a post for cor to sec. 19 + 30 T. N. 3 N. R. 1 E  
from which a Mulberry 8 in dia stands for cor  
tree; Lands under timber same as last mile

East Between Sec. 25 + 36 T. N. 3 N. R. N. 1 W  
From post on Streamers line

40.00 To a Mulberry 6 in dia which stands for cor  
to 1/4 sec

48.25 Set a post for cor to sec. 25 + 36 from which  
an Elm 7 in dia bears S 27 E 11 links dist; to  
Poplar 30 " " " N 36 W 22 " "  
Lands 1<sup>st</sup> rate Well; Timber Walnut Sugar P  
Oak:

West Between Sec. 26 + 35 T. N. 3 N. R. N. 1 W

40.00 To a Hophorn 8 in dia which stands for cor to  
1/4 sec

80.00 Set a post for cor to Sec. 26, 27, 34 + 35 T. N.  
3 N. R. N. 1 W

Lands under timber same as the last mile

West Between Sec. 27 + 34 T. N. 3 N. R. N. 1 W

40.00 Set a post for cor to 1/4 sec from which a  
St Oak 18 in dia bears N 25 E 18 links dist to  
Hickory 11 " " " S 14 W 18 " "  
Lands under timber same as last mile

80.00 To a post set for cor to sec. 27, 28, 33 + 34

West Between Sec. 28 + 33 T. N. 3 N. R. N. 1 W

40.00 Set post for cor to 1/4 sec from which a B Wal-  
nut 8 in dia bears N 60 W 24 links dist to  
Sec 12 " " " S 40 E. 29 " "



T<sup>N</sup> 3 NR N<sup>o</sup> 17 2<sup>nd</sup> Mer. Ind.

80.00 To a post set for cor to Sec 28, 29, 32 & 33  
Sands 2<sup>nd</sup> rate Hills: Timber Oak  
Dec. 31.

West Between Sec. 29 & 32 T<sup>N</sup> 3 NR N<sup>o</sup> 17  
40.00 Set a post for cor to  $\frac{1}{4}$  sec from which a Buck  
7 in dia bears N 71 W 20 links wh; & a Dogwood  
for - - - S 71 E 9 - - -

80.00 To a post set for cor to Sec. 29, 30, 31 & 32  
Sands under timber same as last mile

North Between Sec. 27 & 28 T<sup>N</sup> 3 NR N<sup>o</sup> 17  
40.00 To a Buck 16 in dia stands for cor to  $\frac{1}{4}$  sec  
80.00 Set a post for cor to Sec. 21 & 22 27 & 28 from  
which a Gum 12 in dia bears N 84 E 14 links  
wh; & a No 10 - - - S 32 E 42 - - -  
Sands timber and soil same as last mile

West Between Sec. 24 & 25 T<sup>N</sup> 3 NR N<sup>o</sup> 17  
40.00 To a Dogwood 6 in dia stands for cor to  $\frac{1}{4}$  sec  
80.00 Set a post for cor to Sec. 23, 24, 25, & 26  
Sands timber and soil same as last mile

West Between Sec. 23 & 26 T<sup>N</sup> 3 NR N<sup>o</sup> 17  
40.00 To a Gum 12 in dia stands for cor to  $\frac{1}{4}$  sec  
80.00 To a post set for cor to Sec. 22, 23, 26 & 27  
Sands 2<sup>nd</sup> rate Hills: Timber Oak, Dogwood  
&c

West Between Sec. 22 & 27 T<sup>N</sup> 3 NR N<sup>o</sup> 17  
40.00 To a Buck 18 in dia which stands for cor to  
 $\frac{1}{4}$  sec  
80.00 To a post set for cor to Sec. 21, 22, 27 & 28  
Sands timber &c same as last mile;

East Between Sec. 14 & 23 T<sup>N</sup> 3 NR N<sup>o</sup> 17



J N<sup>o</sup> 3 NR N<sup>o</sup> 14 2<sup>nd</sup> Me. Ind<sup>a</sup>.

40.00 Set the  $\frac{1}{4}$  sec on a Mt. Clark 11 mi dia

48.00 To a W. Oak 11 in dia which stands for cor  
to Dec 14, 23. 7 P. 3 NR N. 177

1st rate live birds; Limb W. Oak Walnut  
Hackberry &c

North Between Sec. 32 + 33. T. N. 3 R. R. N. 17.

17.66 To a sum 30 in dia Hands in the line

4000 Set a ghost for center 74 sec from which a N.  
Oak 10 in dia stems N38E 26 inches circ; to  
N 40W 10 " " " 170W 8 " "

66.70 To pull Oak 15 in six Wounds in the line

8070 Set a post for cor to Sec 28, 29, 32, & 33  
from which on R Oak 24 in dia trans N43E  
24 links dist; on Run 12 a - - N52W  
54 a - - 2nd note upland Sink Holes  
Timber Oak Buck etc

North Britain Dec 28/29 C<sup>d</sup> N<sup>o</sup> 3 N.R. 172

3175 To a height of 20 m in air stands in the air

4000 Set apart for cor to 74 sec from which at least  
12 mi dia bears N10E29 strike north & sec  
10 a a a E13E37 2 a

5900 To all Oak 20 in dia Stands in the live

8070 Got a post from car to Dec. 20, 21, 28, 829  
from which M Oak 18 mi via bus \$85<sup>00</sup>  
38 miles dist; & Truck 900 " " \$75<sup>00</sup>  
34 " " "

South Pitman L<sup>y</sup>. 21+21 T<sup>y</sup>. 3 NR. No 17

34 00 To, a M. Oak 24 in dia stands in the line

40.00 Got a post for cor to  $\frac{1}{4}$  sec from which a Red  
Oak 20 in dia stands S 83 W 14 links dist  
under an R Oak 24 in dia has N 83 E 28 in a

69.40 To alt. Pak 24 in the hands in the line

80.70 Got a prod for err to val 1617. 20121

89  
75

J N<sup>o</sup> 3 N R N<sup>o</sup> 177. 2nd Mar. Ind<sup>a</sup>.

From which an Oak 12 in dia bears \$2830  
hills dist; to an Oak 24 u u u \$25841  
u u u Lands Mt rate hills; Sink Hills  
timber Sugar Beech & Oak

---

North Between Sep. 16 & 17 J N<sup>o</sup> 3 N R N<sup>o</sup> 177  
37.60 To a Hickory 24 in dia stands in the line  
4000 Set post for cor to poles from which a Sugar  
12 in dia bears \$337. 30 lbs dist; 20  
14 u u u \$87 E. 33 u u  
00.00 To a Poplar 30 in dia stands in the line  
72.00 To Armand's hill; Set a post from which an  
Oak 6 in dia bears \$58 E 32 lbs dist;  
Buck 6 u u u \$37 35 u u  
2nd rate uplands Beech, Sugar tree, 14

---

North Between Sep. 21 & 22 J N<sup>o</sup> 3 N R N<sup>o</sup> 177  
30.70 To an Oak 20 in dia stands in the line  
4000 Set a post for cor to poles from which an  
Oak 10 in dia stands \$84 E. 22 lbs dist &  
Oak 8 u u u \$16 24 u u  
63.24 To a Poplar 24 in dia stands in the line  
8000 Set a post for cor to Sep. 15, 16 21 & 22 from  
which an Oak 14 in dia bears \$89 29 lbs  
dist; to a Sugar 10 u u u \$48 12 u  
u 1st, 2nd rate uplands; Timber  
Oak Sugar tree and Poplar

---

North Between Sep. 15 & 16 J N<sup>o</sup> 3 N R N<sup>o</sup> 177  
34.99 To a Hickory 30 in dia stands in the line  
40.00 Marked poles post on a Poplar 30 in dia  
42.00 To Armand's hill Set a post from which  
an Walnut 12 in dia bears \$50 E. 20 lbs dist  
to an Oak 12 u u u \$30 8 u u  
Lands Mt rate hills Timber Oak, Sugar Poplar  
Sink Hills

T. No. 1 T.R. No. 17. 2<sup>nd</sup> M. Ind.

West Pitman Dec. 15 & 22 T. No. 3 T.R. No. 17  
 40.00 To a post set for cor to  $\frac{1}{4}$  sec on a log made 9  
 in dia  
 80.00 Intersited N & S line at a post set for cor to Dec.  
 15, 16, 21 & 22 T. No. 3 T.R. 17.  
 Lands 1<sup>st</sup> rate npland; Sugar tree Oak, Poplar &  
 White Holes

North Pitman Dec. 19 & 20 T. No. 3 T.R. No. 17  
 24.07 To a N. Oak 30 in dia stands in the line  
 40.00 Set a post for cor to  $\frac{1}{4}$  sec from which a N. Oak  
 6 in dia bears N 40 W. 20 miles dist; & a log made  
 8 in a - S 52 E. 23 in -  
 65.70 To a N. Oak 20 in dia stands in the line  
 80.00 Set a post for cor to Dec. 19, 20, 17, & 18 T. No. 3  
 T.R. No. 17. From which a N. Oak 30 in dia  
 bears N 43 W 31 miles dist; & a Hickory 10 in a -  
 - S 55 E 13 in - Lands 2<sup>nd</sup> rate Holes  
 Timber Oak Poplar & Log made

West Pitman Dec. 18 & 19 T. No. 3 T.R. 2<sup>nd</sup> M. Ind.  
 40.00 Marked  $\frac{1}{4}$  sec cor on a Buck 20 in dia  
 80.00 Intersited N & S line at a post set for cor to  
 16 & 19 T. No. 3 T.R. No. 17 & 13 & 24 T. No. 3 T.  
 R. No. 2 T. Lands 1<sup>st</sup> rate; Holes lands; Timber  
 Oak, Poplar

North Pitman Dec. 17 & 18 T. No. 3 T.R. No. 17  
 12.93 To a N. Oak 15 in dia stands in the line  
 40.00 Set a post for cor to  $\frac{1}{4}$  sec from which a N. Oak  
 12 in dia bears N 52 W. 15 miles dist; & a N. Oak  
 10 in a - N 45 E. 27 in -  
 64.44 To a Hickory 20 in dia stands in the line  
 80.00 Marked a log made 12 in dia for cor to Dec.  
 7, 8, 17 & 18 from which a Poplar 10 in dia bears  
 N 25 W. 23 miles dist; Lands 2<sup>nd</sup> rate; npland



22

T<sup>No</sup> 3 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup> 2<sup>nd</sup> Mer. IndianaWest Between Sec. 7, 8, 18 T<sup>No</sup> 3 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup>40.00 Set a post for cor to  $\frac{1}{4}$  sec from which a — 20  
in dia beam N 65<sup>th</sup> 33 miles dist; & a W Oak 20  
n n n N 68<sup>th</sup> 40 n n80.00 Intersected Range line at the post set for cor to  
Sec. 1 & 2 T<sup>No</sup> 3 N<sup>R</sup> N<sup>o</sup> 27<sup>th</sup>.Lands 3<sup>rd</sup> Bush and Oak Hills;West Between Sec. 16. & 21. T<sup>No</sup> 3 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup>40.00 Set a post for cor to  $\frac{1}{4}$  sec from which a W Oak 20  
in dia beam S 80<sup>th</sup> E 24 miles dist; & a Sugar 10  
n n n N 80<sup>th</sup> 20 n n80.00 Intersected N & S line at the post set for cor to Sec  
16, 17, 20, & 21 T<sup>No</sup> 3 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup>.Lands 1<sup>st</sup> & 2<sup>nd</sup> rate Bush and Oak HillsWest Between Sec. 17. & 20 T<sup>No</sup> 3 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup>40.00 Set a post for cor to  $\frac{1}{4}$  sec from which a Gum  
12 inches dia beam S 28<sup>th</sup> 28 miles dist; & a Poplar  
6 n n n N 28<sup>th</sup> 34 n n80.00 Intersected N & S line at a post set for cor to Sec.  
17, 18, 19, & 20 T<sup>No</sup> 3 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup>3<sup>rd</sup> rate Bush & Oak uplandSurveyed by Stone & Supper  
Deputy Surveyors.North From the Corner of Sec. 24 & 25 on the 2<sup>nd</sup> Mer  
Township T<sup>No</sup> 3 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup>40.00 Set a post for cor to  $\frac{1}{4}$  sec from which a Haidt  
10 in dia beam S 42<sup>th</sup> 7 miles dist; under W Oak  
8 n n n N 27<sup>th</sup> 14 n n80.00 Set a post for cor to Sec. N<sup>o</sup> 131 24 T<sup>No</sup> 3 N<sup>R</sup>  
N<sup>o</sup> 17<sup>th</sup> from which a Buck 10 in dia beam  
S 85<sup>th</sup> E 19 miles dist; & a W Oak 12 n n nN 69<sup>th</sup> 10 n n This mile over good farming

T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 177. 2<sup>nd</sup> Mer. Ind<sup>o</sup>

lands; Timber Oak, Hickory undergrowth Spruce

North Continued the line on the 2<sup>nd</sup> Mer. East side of sec 13. T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 177

7.69 To a W Oak 12 in dia stands in the line

40.00 Set apart for cor to 74 sec from which a Hickory 10 in dia bears S 127<sup>o</sup> 11 linked dish; + a Log made 5 u - - N 20 E. 16 u - -

72.10 To a W Oak 30 in dia stands in the line

80.00 Set apart for cor to sec 12 & 13 T<sup>N</sup> 3 N<sup>R</sup> 177 from which a Log made 8 in dia bears N 65 E. 9 linked dish; 20 9 u - - S 67<sup>o</sup> 10 u - - Lands not undergrowth & some

North Continued the 2<sup>nd</sup> Mer. East side of sec 12 T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 177

40.00 Set apart for cor to 74 sec from which a Log made 6 in dia bears N 66 E. 10 linked dish; + a Hickory 10 u - - S 49<sup>o</sup> 14 u - -

80.00 Set a post for cor to sec 1 & 12 T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 177 from which a Hickory 12 in dia bears S 5 E 24<sup>o</sup> 11 u dish; + a W Oak 10 u - - N 66<sup>o</sup> 7<sup>o</sup> 4 u - - This mile over very brushy Oak, Hickory, timber lands; very many brown trees; sinkholes

North Continued the 2<sup>nd</sup> Mer. On the East side of sec 1 T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 177

40.00 Set apart for cor to 74 sec from which a W Oak 15 in dia bears S 68 E 19 linked dish; + a 20 18 u - - S 62<sup>o</sup> 25 u - -

80.00 Set apart for cor to sec 4, 6, 31, 36, T<sup>o</sup> 3 & 3. 45 4. N<sup>R</sup> 1 E. & 177. From which a Poplar 10 in dia bears S 35<sup>o</sup> 13 linked dish; + a W Oak 10 u - - S 18 E. 33 u - - Lands timber & Soil same as last mile:



## T. N. 3 N. R. N. 177 2nd Mer. Ind.

North Between Sec. 23 &amp; 24 T. N. 3 N. R. N. 177

36.00 To an old post for cor to  $\frac{1}{4}$  sec40.00 Set a post for cor to  $\frac{1}{4}$  sec from which a  
W Oak 8 in dia bears S 50 W 10. the dist is  
W Oak 10 " " " N 11 E. 24 " "

80.00 Set a post for cor to Sec 13, 14, 23 &amp; 24 T. N. 3 N. R. N. 177 from which a

W Oak 15 in dia bears S 17 E. 23 the dist;

W Oak 10 " " " N 2 E 10 " "

Sands rolling and brushy Timber Oak & Hickory  
many small trees

East On a Random line between Sec. 13 &amp; 24 T. N. 3 N. R. N. 177

40.00 Set a temporary post for cor to  $\frac{1}{4}$  sec81.00 Intersected N & S line 45 miles North of sec  
cor. Sands timber & soil same as last mile

West On true line between Sec. 13 &amp; 24 T. N. 3 N. R. N. 177

40.50 Set the temporary post at av. dist; on true line for  
cor to  $\frac{1}{4}$  sec from which a W Oak 18 in dia bears  
S 10 W 8 miles dist; and a Logwood 6 " " "  
N 56 E 13 " "

81.00 To the post set for cor to Sec. 13, 14, 23 &amp; 24.

North Between Sec. 13 &amp; 14 T. N. 3 N. R. N. 177

25.00 To a W Oak 20 in dia stands in the line

40.00 Set a post for cor to  $\frac{1}{4}$  sec from which a Poplar  
10 in dia bears N 85 E. 22 miles dist; & an Elm  
10 " " " N 45 E. 22 " "80.00 Set a post for cor to Sec 11, 12, 13 & 14 T. N. 3  
N. R. N. 177 from which a W Oak 8 in dia bears

N 23 E. 33 miles dist; &amp; Hickory 10 " " "

N 27 W. 27 " " Sands soil timber &c  
same as the last mile.

T. No 3 N.R. No 197 Grad Mer. Ind. a

East On a Random line between Sect 12 & 13 T. No 3 N.  
40.00 Set a temporary post for cor to 1/4 sec  
80.00 Intersected N.S. line at the first set for cor to  
Sect 12 & 13 T. No 3 N. 197.

West Between Sect. N. 12 & 13 on True line  
40.00 Set temporary post at aver. dist; on true line for cor  
to 1/4 sec. from which a W Oak 15 in dia bears S 1/4-  
E 9 miles dist; and as Log north 8 n e n N 36 W  
23 n e  
80.00 To the first set for cor to Sect 11, 12, 13 & 14

North Between Sect 11 & 12 T. No 3, N.R. No 197  
19.50 To a Brook 10 mls wide; course N.E.  
40.00 Set a post for cor to 1/4 sec from which a  
W Buck 6 in dia bears S 49 E 8 miles dist; & as  
do 6 n e n N 76 E 18 n e  
80.00 Set a post for cor to Sect 1, 2, 11, & 12 T. No 3 N.  
N.R. No 197. From which a W Buck 8 in dia bears  
S 28 E 14 miles dist; and as do 9 n e n  
N 84 E 16 n e This mile over flat lands  
Twin Oak, Buck & c. (Keweenaw)

East On a Random line between Sect 1 & 12 T. No 3 N.R. 197  
40.00 Set a temporary post for cor to 1/4 sec  
80.00 Intersected N.S. line 46 mls N. of first set for  
cor to Sect 1, 2, 11, & 12 Lands formerly of Rolling

West On True line between Sect 1 & 12 T. No 3 N.R. 197  
40.00 Set temporary post on true line at aver. dist for cor  
to 1/4 sec from which a Poplar 30 in dia bears  
N 26 E 19 miles dist; to Logans Co n e n  
S 18 W 18 n e  
80.00 To the first set for the cor of Sect 1, 2, 11 & 12

North Between Sect 1 & 2 T. No 3 N.R. No 197

T<sup>N</sup> 3 N<sup>R</sup> 17<sup>W</sup> 2<sup>nd</sup> Mer Indian<sup>a</sup>

- 22.00 To Poplar 20 in dia stands in the line  
 40.00 Set a post for cor. to  $\frac{1}{4}$  sec from which a  
 W Oak 12 in dia bears S<sup>88</sup>W 5 miles dist; 10  
 Hickory 6 in " " N<sup>1</sup>E. 13 " "  
 49.94 Set a post for cor. to Sec<sup>s</sup> 1 & 2 on the N.  
 Boundary 42 like East of cor for Sect. 35 & 36 T<sup>N</sup>  
 N<sup>R</sup> 4 N<sup>R</sup> 17<sup>W</sup> from which a Maple 10 in  
 dia bears S<sup>35</sup>E 14 miles dist; & a L<sup>o</sup>, 12 in  
 " " S<sup>55</sup>W. 19 " " Sand flat.
- 

- West Between Sec<sup>s</sup> 14 & 23. T<sup>N</sup> 3 N<sup>R</sup> 17<sup>W</sup>. On a Random line  
 40.00 Set a temp. post for cor. to  $\frac{1}{4}$  sec  
 81.18 Intersection N & S line 50 miles N. of sec cor  
 14, 15 22, & 23. Land very brushy timber  
 Oak, & Hickory
- 

- North Between Sec<sup>s</sup> 14 & 15. T<sup>N</sup> 3 N<sup>R</sup> 17<sup>W</sup>. On 6° variation  
 40.00 Set a post for cor. to  $\frac{1}{4}$  sec from which a Hick  
 10 in dia bears S<sup>55</sup>E 21 miles dist; & a L<sup>o</sup>  
 15 " " " S<sup>46</sup>W. 14 " "  
 80.70 Set a post for cor. to Sec<sup>s</sup> 10, 11, 14 & 15 T<sup>N</sup> 3  
 N<sup>R</sup> 17<sup>W</sup> from which a W Oak 20 in dia bears  
 S<sup>62</sup>E. 16 miles dist; & a L<sup>o</sup> 20 " " "  
 S<sup>76</sup>W. 19 " " This mile over very brushy  
 Oak, & Hickory land;
- 

- East On a Random line between Sec<sup>s</sup> 14 & 11 T<sup>N</sup> 3  
 N<sup>R</sup> 17<sup>W</sup>  
 19.50 To Arrow 15 miles midw; Course South  
 40.00 Set a temp. post for cor. to  $\frac{1}{4}$  sec  
 80.50 Intersection N & S line 35 miles South of sec cor.  
 for Sec<sup>s</sup> 11, 12 13, & 14 T<sup>N</sup> 3 N<sup>R</sup> 17<sup>W</sup>
- 

- West On Town line between Sec<sup>s</sup> 11 & 14 T<sup>N</sup> 3 N<sup>R</sup>



T N<sup>o</sup> 3 N R N<sup>o</sup> 17 2<sup>nd</sup> 7<sup>th</sup> IndianaN R N<sup>o</sup> 17

- 40.28 Set the tump<sup>y</sup> post at aver dist on true line for  
cor to 74<sup>25</sup> from which a Poplar 30 in dia bears  
S 50 E. 28 miles dist; & a W Oak 20 " "  
N 44 W 17 " "  
80.58 To the post set for cor to Sec 10, 11, 14, & 15.

North Between Sec 10 & 11 T N<sup>o</sup> 3 N R N<sup>o</sup> 17

- 40.00 Set a post for cor to 74<sup>25</sup> from which a Hickory  
10 in dia bears N 57 W. 54 the dist; & a Gum  
8 " " " S 10 E. 48 " "  
80.00 Set a post for cor to Sec 2, 3, 10, & 11 from  
which a Hickory 10 in dia bears S E 52 the dist;  
& a W Oak 10 " " " N 78 W. 21 " "  
Sands underground wid & timber same

East Between Sec 11 & 12 T N<sup>o</sup> 3 N R N<sup>o</sup> 17 On  
a Randers

- 40.00 Set tump<sup>y</sup> post for cor to 74<sup>25</sup>  
80.32 Intersected N 3 line 27 miles south of sec cor  
for 1, 2, 11, & 12. Sands flat; Timber Oak,  
Poplar & Buck.

West Between Sec 2 & 11 On true line T N<sup>o</sup> 3 N R  
N<sup>o</sup> 17

- 40.16 Set the tump<sup>y</sup> post at aver age distance on true  
line for cor to 74<sup>25</sup> from which a W Oak 10  
in dia bears N 44 W 10 miles dist; & also 9  
" " " S 33 E. 20 " "  
80.32 To the post set for cor to Sec 2, 3, 10, & 11

North Between Sec 2 & 3 T N<sup>o</sup> 3 N R N<sup>o</sup> 17

- 13.25 To a B. Oak 20 in dia stands on the line  
40.10 Set a post for cor to 74<sup>25</sup> from which a Gum 10  
in dia bears S 21 W 11 miles dist; & a Buck 8  
" " " N 23 W 24 " "

T<sup>N</sup> 3 NR N<sup>o</sup> 17. 2<sup>nd</sup> Mer. Ind.

This 1/2 mile over very bushy Oak, & Hickory  
Land;

- 64.30 To a Hickory 15 in dia stands in the line  
81.59 Set a post for cor to Sec. 2 & 3. NR. N<sup>o</sup> 17<sup>n</sup>  
on the E & W line between T<sup>N</sup> 3 & 4; 75  
miles East of the post set for cor to Sec. 2 & 3  
on the T. line from which a W Oak 20 in dia  
bears S 33 E. 9 miles dist; & a No 24 a  
" S 53 W 13 " " Over level land  
Timber Oak, Hickory &c

North Between Sec. N<sup>o</sup> 15 & 16 T<sup>N</sup> 3 NR N<sup>o</sup>  
17. 2<sup>nd</sup> Mer.

- 40.00 Set a post for cor to Sec. 9, 10, 15 & 16 from which a W Oak  
20 in dia bears N 65 W. 35 miles dist; & a W Oak  
20 " " " N 78 E. 37 " "  
80.00 Set a post for cor to Sec. 9, 10, 15 & 16 from which  
a W Oak 12 in dia bears N 85 E 21 miles dist; &  
Seymour Co " " " N 86 W 4 " "  
This mile over very bushy land; Timber Oak  
Hickory &c

East Between Sec. N<sup>o</sup> 10 & 15 & at Random line

- 40.00 Set temporary post for cor to 1/4 Sec  
81.60 Intersected N & S line 20 miles South of Sec  
to Sec. 10, 11, 14, & 15 T<sup>N</sup> 3 NR N<sup>o</sup> 17<sup>n</sup>  
Land timber &c same as the last mile;

West On True line between Sec. 10 & 15 T<sup>N</sup> 3 NR  
N<sup>o</sup> 17<sup>n</sup>

- 40.50 Set the temporary post at aver. dist; on true line for  
cor to 1/4 Sec from which a Gum 8 in dia bears  
S 40 E. 12 miles dist;  
81.00 To the post set for cor to Sec. 9, 10, 15, & 16

North Between Sec. 15 & 16 T<sup>N</sup> 3 NR N<sup>o</sup> 17<sup>n</sup>

T. N. 3 N. R. No. 1 W 2nd Mer Indiana

- 40.00 Set a post for cor to 74 Sec from which a W Oak  
20 mi dia bears N 65 W 35 links dist; to W Oak  
20 " " " N 78 E 37 " "
- 80.00 Set a post for cor to Sec 9, 10, 15, & 16 from which  
a W Oak 13 mi dia bears N 85 E 21 links dist; to  
Logansport 6 " " " N 86 W 4 " "

North Between Sec 9 & 10 T. N. 3 N. R. No. 1 W

- 40.00 Set a post for cor to 74 Sec from which a W Oak  
12 mi dia bears N 83 W 19 links dist; to Sec  
10 " " " N 22 E 19 " "
- 80.00 Set a post for cor to Sec 3, 4, 9, & 10 T. N. 3 N. R.  
No. 1 W from which a W Oak - in dia bears N 75  
E 20 links dist; to Logansport 6 " " " S 24 W  
17 " " " Sande Rolling out bushy

East On N. Indiana line between Sec 3 & 10

- 40.00 Set a temp. post for cor to 74 Sec
- 80.00 Intersection N. Indiana line 14 links N. of Sec cor for  
Sec 2, 3, 10, & 11 T. N. 3 N. R. No. 1 W  
Sande timber and undergrowth the same

West Between Sec 3 & 10

- 40.00 Set the temp. post at the average dist; on line  
line for cor to 74 Sec from which a W Oak 10 mi dia  
bears S 34 E 85 links dist; and a Logansport 6 " "  
" " " N 44 W 8 " "
- 80.00 To the post between Sec 3, 4, 9 & 10

North Between Sec 3 & 4 T. N. 3 N. R. No. 1 W

- 2645 To a W Oak 20 mi dia stands on the line
- 40.00 Set a post for cor to 74 Sec from which a Hickory  
10 mi dia bears S 61 E 25 links dist; to Sec  
15 " " " N 70 W 23 " "
- 81.85 Set a post on the North Indiana line East of  
first set for cor to Sec 3 & 4 T. N. 3 N. R. No. 1 W



T. No 3 N.R. No 177 2<sup>nd</sup> Mer. Ind.

from which a W. Oak 12 in dia bears S 55 E.  
56 links dist; This mile over very bushy Rolling  
Oak, & Hickory Timbered lands:

North Between Sec 16. & 17 T. No 3 N.R. No 177

40.00 Set a post for cor to  $\frac{1}{4}$  sec

80.00 Set a post for cor to sec 8, 9, 16, & 17 T. No 3 N.

R. No 177. from which a Poplar 10 in dia bears  
N 8 E. 36 links dist; & a Gum 12 in ~  
S 67 W. 41 ~ ~ Sande rolling; Timber Oak  
Hickory and Poplar.

East On a Random line between Sec 9. & 16 T. No  
3 N.R. No 177.

40.00 Set a temporary post for cor to  $\frac{1}{4}$  sec

81.25 Intersected N & S line 8 links North of cor  
to Sec 9, 10, 15. & 16 T. No 3 N.R. No 177  
Sande timber and so forth the same

West On true line between Sec 9. & 16 T. No 3 N  
R. No 177

40.62 $\frac{1}{2}$  Set temporary post at above dist on true line for cor  
to  $\frac{1}{4}$  sec from which a W Oak 12 in dia bears East  
64 links dist;

81.25 To the post set for the cor. to sec 8, 9, 16 & 17

North Between Sec 8 & 9 T. No 3 N.R. No 177.

40.00 Set a post for cor to  $\frac{1}{4}$  sec from which a W Oak  
20 in dia bears S 31 W. 14 links dist; & a Gum  
6 in ~ ~ N 67 E 17 in ~

80.00 Set a post for cor to sec 4, 5, 8, & 9 T. No 3

N.R. No 177 from which an Elm 8 in dia  
bears S 3 E. 11 links dist; & a B Oak 12 in ~  
~ North 21 in ~

Sande timber &c the same as the last mile

T<sup>N</sup> 3 N. 4<sup>R</sup> No 17<sup>N</sup>. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

East On Random line between Sec. 4 & 9 T<sup>N</sup> 3 N. 4<sup>R</sup> No 17<sup>N</sup>.

40.00 Set a temporary post for cor to 1/4 sec

80.26 Intersected N & S line 15 miles N. of sec cor  
for Secs 3, 4, 9, & 10 T<sup>N</sup> 3 N. 4<sup>R</sup> No 17<sup>N</sup>  
Lands timber &c same as the last mile

West On true line between Sec. 4 & 9 T<sup>N</sup> 3 N. 4<sup>R</sup> No 17<sup>N</sup> 2<sup>nd</sup> Mer

40.13 Set temporary post at aver. dist in true line for  
cor to 1/4 sec from which a W Oak 30 in dia  
bears S 80° W 16 miles dist; a N Walnut 12 in  
" N 63° E. 12 " "

80.26 To the post set for the cor to Sec. 4, 5, 8 & 9

North Between Sec. 4 & 5 T<sup>N</sup> 3 N. 4<sup>R</sup> No 17<sup>N</sup>

40.00 Set a post for cor to 1/4 sec from which a W Oak  
24 in dia bears N 61° E. 20 miles dist; a Pop  
lar 30 " " " S 31° W 30 " "

81.00 Set a post on the North Boundary 15 M. E.  
East of the post set for the cor. of Sec. 4 & 5 T<sup>N</sup> 3 N. 4<sup>R</sup> No 17<sup>N</sup>.  
From which a Gum 10 in dia  
bears S 20° E. 3 miles dist; and a W Oak 30 " "  
" S 19° W. 18 " " This mile over very good  
farming lands; Timber Oak Hickory and Pop-  
lar

West Between Sec. 8 & 17 T<sup>N</sup> 3 N. 4<sup>R</sup> No 17<sup>N</sup>. On  
Random

40.00 Set a temporary post for cor to 1/4 sec

82.58 Intersected N & S line at the post set for cor to  
Sec. 7, 8, 17, & 18 T<sup>N</sup> 3 N. 4<sup>R</sup> No 17<sup>N</sup>  
Lands rolling; Timber Oak Hickory & Beech

East On true line between Sec. 8 & 17

41.29 Set the temporary post at the aver. dist for 1/4 sec cor

*T. No 3 N.R. No 177. 2nd & 7th Ind.*

on true line from which a W Oak 12 in dia bears  
West 5 links dist;

82.58 To the first set for cor to Sect. 8, 9, 16, & 17

*North Return Sect. 7 & 8. T. No 3 N.R. No 177*

40.00 Set a post for cor to 1/4 sec from which a Locust  
10 in dia bears S 68 E. 17 links dist; & a Hickory  
10 n n n N 39 E 30 n n

52.00 To a W Oak 30 in dia stands on the line

79.00 To a Brook 10 links wide; corner S.W.

80.50 Set a post for cor to Sect. 5, 6, 7 & 8 T. No 3 N.R.  
No 177. From which a Maple 12 in dia bears  
S 55 E. 13 links dist; & also 10 n n n  
S 67 W. 8 n n This mile over flat land  
Timber Oak, Maple, Oak &c

*East On Random line between Sect. No. 5 & 8 T. No  
3 N.R. No 177.*

1.50 To a Brook 10 links wide; corner N.W.

40.00 Set a temporary post for cor to 1/4 sec from which

80.00 Intersected N.P.S. line 45 links N. of post  
Set for cor to Sect. 4, 5, 8, & 9. T. No 3 N.R. No  
177. Lands Rolling Timber Oak, Sugar &  
Poplar

*West On True line between Sect 5 & 8 T. No 3 N.R. No 177*

40.00 Set temporary post at area. dist; on true line for cor  
to 1/4 sec from which a Hickory 18 in dia bears  
N 56 E 8 links dist; & also 6 n n n  
S 57 W 18 n n

80.50 To the first set for cor to Sect. 5, 6, 7, & 8

*North Return Sect. 5 & 6 T. No 3 N.R. No 177*

40.00 Set a post for cor to 1/4 sec from which a Beech  
12 in dia bears S 77 3/4 links dist; & a W Oak  
12 n n n S 50 E 17 n n

Nov. 16. 1899

103  
89

T. N<sup>o</sup> 3 N. W. N<sup>o</sup> 17. 2nd Mer. Ind.

80.82 Set a post on the North Boundary of T. N<sup>o</sup> 3  
N. W. N<sup>o</sup> 17. for cor to Sec. 5 & 6. from which  
a W Oak 15 in dia bears S46E 21 links dist;  
to also 20 " " " N78W 30 " "  
Under timber undergrowth is same as the last one

---

West Between Sec. N<sup>o</sup> 6 & 7 T. N<sup>o</sup> 3 N. W. N<sup>o</sup> 17  
40.00 Set a post for the cor to Sec. 6 & 7 from which a  
W Oak 20 in dia bears N37E 24 links dist; to  
Maple 10 " " " N79W 6 " "  
84.25 Set a post on the West Boundary 100 links S.  
of the cor. for sec. to sec. 6 & 7 T. N<sup>o</sup> 3 N. W. N<sup>o</sup>  
17. under set a post for cor to Sec. 6 & 7  
from which a Elm 20 in dia bears S75E.  
22 links dist; to Sugar 10 " " " N68E  
21 " " " Over very brushy land

---

Surveyed by  
Arthur Henrie, L.S.

---

West Between Sec. 15 & 22, T. 3 N. R. 1 W  
40.00 a Dogwood 9 in. diam. (marked for q. Sec. Cor.  
80.00 Intersected the corner of Sec. 16, 15, 21 & 22  
First rate upland, timber Sugar tree, Oak,  
Poplar, &c. Sink holes. Jan. 1<sup>st</sup> 1805  
Surveyed by J. J. Supper & Stone, Dep. Surveyors

---

### South Boundary

Bearings at the Cor. to Sec. 35 & 36, T. 3 N. R. 1 W  
a Dogwood 7 in. diam. bears N59W 21 links dist. of  
a B. Walnut 7 " " " N76E 12 " "  
East On S. boundary of Sec. 36, T. 3 N. R. 1 W  
40.00 Set q. Sec. Post, from which  
a Dogwood 7 in. diam. bears S32W 5 links dist. of  
an Elm 8 " " " N66E 28 " "  
53.00 Intersected E. boundary of the Vinanny Tract



# S. N. R. W. D. Mer. Indiana

Set post Cor. to Sec. 36 of 1, Township 2 of 3 N.  
 Range N. 1 West, from which  
 a Dogwood 8 in. diam. bear S 24 E 20 lks. dist. of  
 a Red Bud } " " " N 48 E 25 " "  
 (Description of Land &c. Omitted)

---

West On S. boundary of Sec. 35

40.00 Set q. Sec. post, from which  
 a W. Oak 11 in. diam. bear N 70 E 26 lks. dist. of  
 a B. Cherry 18 " " " S 53 W 24 " "

80.00 Set post Cor. to Sec. 34 & 35, from which  
 an Oak 14 in. diam. bear S 44 E 6 lks. dist. of  
 a Red Bud } " " " N 44 W 6 " "  
 1<sup>st</sup> rate hill, B. Walnut, Sugar, Hackberry, Oak &c

---

West On S. boundary of Sec. 34

40.00 Set q. Sec. post, from which  
 an Elm 8 in. diam. bear S 80 W 13 lks. dist. of  
 a W. Oak } " " " N 27 E 4 " "

80.00 Set post Cor. to Sec. 33 & 34, from which  
 a Red Oak 12 in. diam. bear S 88 W 30 lks. dist. of  
 a Mulberry } " " " N 53 E 15 " "  
 1<sup>st</sup> 1/2 mile 2<sup>nd</sup> rate hill Oak &c. last 1/2 2<sup>nd</sup> rate  
 hill, some Oak, Gum, Ash, Beech, Poplar &c.

---

West On S. boundary of Sec. 33

40.00 a R. Oak 9 in. diam. Marked for q. Sec. Corner.

53.00 a Good Spring near the right of land

80.00 Set post Cor. to Sec. 32 & 33, from which  
 a R. Oak 12 in. diam. bear N 66 E 10 lks. dist. of  
 a Sugar 10 " " " S 58 E 22 " "  
 1<sup>st</sup> rate hill land, timber N 1/2 W 1/2 Walnut, Sugar  
 Hackberry &c

---

West On S. boundary of Sec. 32

40.00 Set q. Sec. post from which

a Hickory 12 in. diam. bear N 40 E 15 lks. dist. of

T3 N. R19 W. 2nd Mer. Indiana

105  
91

Ch. lns.

- a Hickory 7 in. diam. bran, S30W9 lns. dist.  
80.00 Set post Cor. to Sec. 31 & 32, from which  
a Sugar 11 in. diam. bran, N75W32 lns. dist. of  
a Do. 7 " " " N22E15 " "  
Land 3<sup>rd</sup> rate hill, timber Oak &c.

West On S. boundary of Sec. 31

- 40.00 Set q. Sec. post, from which  
a Sugar 8 in. diam. bran, S66E26 lns. dist. of  
a Beech 7 " " " North 30 " "  
80.00 Intersected the post Cor. to Township 2 of 3 N.  
Range 1 of 2 W. Land 1<sup>st</sup> rate hill, timber W &  
B. Walnut, Sugar, B. Cherry, Honey Locust &c.  
The Random line fell 100 lns. South.  
Surveyed Dec. 1804 by Sappan Stone, Dep<sup>y</sup> Sur.

North Boundary var. 7.00'E

West On S. boundary of Sec. 36, T4 N. R19 W

- 40.00 Set q. Sec. post, from which  
a Hickory 10 in. diam. bran, N25E20 lns. dist. of  
a Dogwood 5 " " " N45W20 " "  
80.00 Set post Cor. to Sec. 35 & 36, T4 N. R19 W, from which  
a B. Oak 18 in. diam. bran, S69W7 lns. dist. of  
a Maple 10 " " " S67E28 " "  
This mile over good farming; timbered Oak & Hickory

West On S. boundary of Sec. 35, T4 N. R19 W

- 40.00 Set q. Sec. post, from which  
a Hickory 12 in. diam. bran, West 3 lns. dist.  
no other  
80.00 Set post Cor. to Sec. 34 & 35, T4 N. R19 W, from which  
a Hickory 8 in. diam. bran, N69E11 lns. dist. of  
a B. Walnut 10 " " " N12W7 " "  
Land timber &c. same as on the last mile

## S 3 N. R 1 W. T. Mer. Indiana

Ch. lns.

West On S. boundary of Sec. 34, T 4 N. R 1 W

40.00 Set of Sec. post, from which  
 a W. Oak 24 in. diam. bear N 65 E 35 lns. dist. of  
 a W. Oak 24 " " " S 11 W 14 " "

80.00 Set post Corner to Sec. 33 & 34, T 4 N. R 1 W, from which  
 a Hickory 12 in. diam. bear West 58 lns. distant  
 no other.

Sand timber &amp;c. Same as on the last mile

West On S. boundary of Sec. 33, T 4 N. R 1 W

40.00 Set of Sec. post, from which  
 a W. Oak 10 in. diam. bear S 10 E 23 lns. dist. of  
 a Gum 9 " " " S 30 W 31 " "

80.00 Set post Cor. to Sec. 32 & 33, T 4 N. R 1 W, from which  
 a Gum 10 in. diam. bear S 78 E 16 lns. dist. of  
 a W. Oak 24 " " " S 25 E 18 " "

Sand timber &amp;c. Same as on the last mile

West On S. boundary of Sec. 32, T 4 N. R 1 W

40.00 Set of Sec. post, from which  
 a Hickory 6 in. diam. bear N 76 W 5 lns. dist. of  
 a Gum 6 " " " S 70 E 12 " "

80.00 Set post Cor. to Sec. 31 & 32, T 4 N. R 1 W, from which  
 a Hickory 12 in. diam. bear S 32 W 9 lns. dist. of  
 a Dogwood 6 " " " N 3 E 12 " "

Sand timber &amp;c. Same as on the last mile

West On S. boundary of Sec. 31, T 4 N. R 1 W.

40.00 Set of Sec. post, from which  
 a W. Oak 12 in. diam. bear S 38 W 18 lns. dist. of  
 no other

86.00 To Town Corner.

Sand timber &amp;c. Same as on the last mile

Surveyed by Arthur Henrie, D. S.



S3N R2W.2<sup>d</sup> Mer. Indiana

107  
9/3

Ch. lth.

West Boundary

North On E. boundary of Sec. 36, S3N. R2W

31.50 a W. Oak 36 in. diam.

40.00 a Beech 12 in. diam. (Marked for q. Sec. Corner

49.00 a W. Oak 10 " "

80.00 Set post Cor. to Sec. 25 of 36, S3N. R2W, from which

a Sugar 8 in. diam. bear S30°W 22 lth. dist. of

a Poplar 7 " " " N19°W 13 " "

Land 2<sup>d</sup> rate hild, timber Oak, some Poplar, Sugar  
R. & W. Walnut &c.

North On E. boundary of Sec. 25, S3N. R2W

32.50 a W. Oak 18 in. diam.

40.00 Set q. Sec. post, from which

a W. Walnut 7 in. diam. bear N11°E 18 lth. dist. of

a Sassafras 7 " " " N16°W 14 " "

73.00 a R. Oak 36 " "

80.00 Set post Cor. to Sec. 24 & 25, S3N. R2W, from which

a Sugar 12 in. diam. bear N10°E 16 lth. dist. of

a W. Oak 12 " " " S77°W 30 " "

Land flat ridgy, Soil 1<sup>st</sup> rate

North On E. boundary of Sec. 24, S3N. R2W.

34.28 a W. Oak 24 in. diam.

40.00 Set q. Sec. post, from which

a Poplar 30 in. diam. bear N83°E 21 lth. dist. of

a Beech 6 " " " N51°W 23 " "

57.65 a W. Oak 18 " "

80.00 Set post Cor. to Sec. 13 & 24, S3N. R2W, from which

a Beech 6 in. diam. bear N29°W 22 lth. dist. of

a Do. 18 " " " N63°E 32 " "

Land &c. 3<sup>d</sup> rate Beech, Oak &c. upland

North On E. boundary of Sec. 13, S3N. R2W



T3 N. R1 W. 2<sup>d</sup>. Mer. Indiana

ch. lns.

25.60 a Beech 18 in. diam.

40.00 Let of. Sec. post, from which  
a Gum 20 in. diam. bran North 29 lns. dist. of  
a Dogw. 6 " " " S 8 E 18 " "

63.30 a Poplar 40 " "

80.00 Let post Cor. to Sec. 12 of 13, T3 N. R2 W. from which  
a Beech 16 in. diam. bran N 22 W 30 lns. dist. of  
a W. Oak 18 " " " N 76 E 35 " "  
2<sup>d</sup> & 3<sup>d</sup> rate upland, timber, Beech, Poplar, Oak &c.

North On E. boundary of Sec. 12, T3 N. R2 W

37.13 a W. Oak 14 in. diam.

40.00 Let of. Sec. post. from which  
a Beech 18 in. diam. bran N 81 W 27 lns. dist. of  
a Sugar 12 " " " N 37 E 28 " "46.50 Intersected freeman's line Let post from which  
a Beech 14 in. diam. bran S 43 W 26 lns. dist. of  
a Sugar 11 " " " S 3 E 16 " "2<sup>d</sup> rate upland, timber Oak, Poplar, Beech, Sugar &c.

Surveyed by Ingham &amp; Stone Dep. J. Surveyor, in 1804

80.00 Let post Cor. to Sec. 1 & 12, T3 N. R2 W. from which  
a Dogwood 6 in. diam. bran S 46 E 16 lns. dist. of  
a Beech 10 " " " N 6 E 16 " "This mile over hilly land, timber Beech, Oak & Hickory  
underg<sup>d</sup>. Spruce, Dogwood, Sassafras &c.

North On E. boundary of Sec. 1, T3 N. R2 W

40.00 Let of. Sec. post, from which  
a Dogwood 6 in. diam. bran N 22 E 5 lns. dist. of  
an Ironwood 6 " " " N 10 E 25 " "80.00 Let post Cor. to Towns 3 & 4 N, Range 1 of 2 W. from which  
a Sugar 12 in. diam. bran S 22 W 4 lns. dist. of  
a S. Oak 30 " " " N 64 E 29 " "Sand timber &c. Same as on the last mile  
Surveyed by Arthur Henne, D.S.